

FOOD FACILITY INSPECTION REPORT

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

225 N. Tehama Street, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Name of Facility/ DBA: <u>HAMILTON UNION ELEMENTARY</u>		Inspection Date: <u>5/25/22</u>	
Address: <u>277 CAPAY AVE, HAMILTON CITY</u>		Reinspection Date (on or after): <u>NEXT INSPECTION</u> <small>(Reinspections are subject to fees)</small>	
Owner/Permitee: <u>HAMILTON UNIFIED SCHOOL</u>	Phone No.:	Inspection Time: <u>11:00</u>	Permit Exp. Date:
Certified Food Handler: <u>ERENDIDA MORENO</u>		Certificate Expiration Date: <u>10/29/22</u> <small>(Certificate expires five years after it is issued)</small>	
Service: <input checked="" type="checkbox"/> Routine Inspection <input type="checkbox"/> Reinspection <input type="checkbox"/> Complaint <input type="checkbox"/> Construction/Pre-opening <input type="checkbox"/> Other:			
Applicable Law <u>CALIFORNIA RETAIL FOOD CODE</u> ("CalCode), Beginning with section 113700, California Health and Safety Code (See reverse side of sheet for summary)			

In = In compliance		N/A = Not Applicable		N/O = Not Observed		Maj = Major violation		Out = Items not in compliance		COS = Corrected On Site	
Critical Risk Factors for Disease						Maj	Out	COS		Out	COS
<input checked="" type="checkbox"/>									24. Person in charge present and performs duties		
<input checked="" type="checkbox"/>									25. Personal cleanliness and hair restraints		
<input checked="" type="checkbox"/>	N/O								26. Approved thawing methods used		
<input checked="" type="checkbox"/>	N/O								27. Food separated and protected		
<input checked="" type="checkbox"/>	N/O								28. Washing fruits and vegetables		
<input checked="" type="checkbox"/>									29. Toxic substances properly identified, stored and used		
<input checked="" type="checkbox"/>	N/A	N/O							30. Food storage, 31. Self service, 32. Labeled		
<input checked="" type="checkbox"/>	N/A								33. Nonfood contact surfaces clean		
<input checked="" type="checkbox"/>	N/A	N/O							34. Warewashing facilities maintained, test strips		
<input checked="" type="checkbox"/>	N/A	N/O							35. Equipment, utensils, approved, clean good repair		X
<input checked="" type="checkbox"/>	N/A	N/O							36. Equipment, utensils and linens, storage and use		
<input checked="" type="checkbox"/>	N/A	N/O							37. Vending Machines		
<input checked="" type="checkbox"/>									38. Adequate ventilation and lighting		
<input checked="" type="checkbox"/>	N/A	N/O					X		39. Thermometers provided and accurate		
<input checked="" type="checkbox"/>									40. Wiping cloths properly used and stored		
<input checked="" type="checkbox"/>	N/A	N/O							41. Plumbing, proper backflow prevention		
<input checked="" type="checkbox"/>	N/A	N/O							42. Garbage properly disposed; facilities maintained		
<input checked="" type="checkbox"/>	N/A	N/O							43. Toilet facilities supplied, properly constructed, clean		
<input checked="" type="checkbox"/>	N/A								44. Premises clean, vermin proof; personal items separate		
<input checked="" type="checkbox"/>									45. Floors, walls and ceilings maintained and clean		
<input checked="" type="checkbox"/>									46. No unapproved living or sleeping quarters		
<input checked="" type="checkbox"/>							X		47. Signs posted; Permit & inspection report available		
<input checked="" type="checkbox"/>									48. Plan Review Required		

No PHF []					
°F	Food	Location	°F	Food	Location
29	MILK	MILK PEACH IN REFRIGERATOR			
41	RANCH	6-DOOR TRAUSSON			
29	REFRIED BEANS	COOLING - WALK-IN			

Comments: VIOLATIONS

(14) MAINTAIN PROPER SANITIZER LEVELS IN THE MECHANICAL DISHWASHER WHEN WASHING DISHES. ~ DISHWASHER MEASURED NON-DETECT FOR SANITIZER.

(23) KEEP THE FACILITY FREE OF PESTS, FLIES, VERMIN ETC. ~ OBSERVED 5-6 FLIES INSIDE KITCHEN AREA.

(35) CLEAN & SANITIZE THE MOLD INSIDE THE ICE MACHINE

Received By: [Signature] REHS: ANDREW PETYO

OFFICIAL INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

225 N. Tehama Street, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2

Name of Facility / DBA: <u>HAMILTON UNION ELEMENTARY</u>	Inspection Date: <u>5/25/22</u>
Address: <u>PAGE 2</u>	
Owner/Permitee: <u>PAGE 2</u>	

Comments: VIOLATIONS (CONT.)

35) CLEAN / DE-ICE / SANITIZE THE PLUMBING INSIDE THE WALK-IN. THE FILTHY PLUMBING IS A CROSS CONTAMINATION HAZARD.

Received By: <u>[Signature]</u>	REHS: <u>ANDREW P. ROYO</u>
---------------------------------	-----------------------------