FOOD FACILITY INSPECTION REPORT

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT 225 N. Tehama Street, Willows, CA 95988

Page 1 of

		Phone	(530) 934-61	02 FAX (530) 934-6103		· · · · · · · · · · · · · · · · · · ·	
Name of Facility/	DBA:				1	Inspection Date:		
Wester	Western Refining Retail # 58186					6/14/22		
Address:					1	Reinspection Date (on or after):		
1185 Hoff Way Orland CA 95963 (Reinspections are subject to fees) Pectian								
Owner/Permitee: Phone No.: Inspection Time: Permit Exp. Date								
i a	0.0	. 0 1 . 0	1 11011	.C 140			tp. Date.	
Wester	1 Kel-	ning Ketail				3 45pm		
Certified Food Ha	ndler:	11/				Certificate Expiration Date:		
16MSC	17(1	redita			(Certificate expires five years after it is issued)			
	Routine Insp					Other:		
Applicable Law CAL	IFORNIA RET	TAIL FOOD CODE ("CalCode), Beginning wi	ith section 1137	700, Californi	a Health and Safety Code (See reverse side of sheet for summary)		
In = In com	oliance N	J/A = Not Applicable $N/O = Not Obs$	served Ma	aj = Major v	iolation Out = Item	s not in compliance COS = Corrected	d On Site	e
		Critical Risk Factors for Disease	-	out COS		one in compliance	Out	COS
In		nonstration of knowledge				present and performs duties		
<u>In</u>		nmunicable disease restrictions	1			ness and hair restraints		
	N/O 3. Discharge of eyes, nose, mouth N/O 4. Eating, tasting, drinking, tobacco use				26. Approved thaw			
	N/O 4. Eating, tasting, drinking, tobacco use N/O 5. Hands clean & properly washed, glove use			_	27. Food separated			-
In	6. Handwashing facilities available			×	28. Washing fruits and vegetables 29. Toxic substances properly identified, stored and used			
					30. Food storage, 31. Self service, 32. Labeled			
In (N/A)						Nonfood contact surfaces clean		
					34. Warewashing fa	cilities maintained, test strips		
In N/A N		per cooking time and temps				sils, approved, clean good repair	X	
The same of the sa	In N/A N/O 11. Reheating temperature for hot holding			_		utensils and linens, storage and use		
In N/A N/			+ +	_	37. Vending Machin 38. Adequate ventil			
In N/A N/		od contact surfaces clean and sanitized				rovided and accurate	_	
In		od from approved source				roperly used and stored		
In N/A N/		ell stock tags, 17. Gulf Oyster regs				er backflow prevention	X	
In N/A N/O 18. Compliance with HACCP plan					y disposed; facilities maintained			
In N/A N/O 19. Advisory for raw/undercooked food					supplied, properly constructed, clean			
In N/A 20. Health care/ School prohibited food In 21. Hot & cold water. Temp: PF					vermin proof; personal items separate			
In 21. Hot & cold water. Temp: oF In 22. Wastewater properly disposed		-			d ceilings maintained and clean	_	-	
In						d living or sleeping quarters Permit & inspection report available		
25. 110 1000115, 1150015, 51105, 411111115					48. Plan Review Re			
			1					
No PHF []								
°F F	Food Location			°F	Food	Location		
	ood	Location			Food			
E. Wall	ood	2 / 1		0 1	acho	11 1 16 10 10 10 10 10 10 10 10 10 10 10 10 10	Fin	p
41 Milk	ood	Walk-in Cooles		38 M	chese	<i>S</i> .	(rm	es
41 Milk	_	walk-in Cooles	- American	38 M	acho	Salad Cooler	(rm	er
41 Mille	_	2 / 1	- American	38 M	chese	<i>S</i> .	irm	er
41 Mille	_	walk-in Cooles	- American	38 M	chese	<i>S</i> .	(Fm	er
41 Mille	_	walk-in Cooles	- American	38 M	chese	<i>S</i> .	(rm	
	DON	Walk-in Cooles Hot Dogrolles	-	38 M	chese chese salad	Salad Cooler	(rm	25
	DON	Walk-in Cooles Hot Dogrolles	-	38 M	chese chese salad	Salad Cooler	irm	2
Comments:	Don let	walk-in Cooles litet Dogrolles ouvels from	the	38 M 42 Ci	enser a	Salad Cooler	irm	2
Comments:	Der let	walk-in Cooles Hot Dogrolles Owels from	the	38 M 42 Ci dispo	enser a	Salad Cooler Front counter	irm	2
Comments:	Der let	walk-in Cooles litet Dogrolles ouvels from	the	38 M 42 Ci dispo	enser a	Salad Cooler Front counter	0T-	2
Comments:	Der let ash tom	Walk-in Cooles Hot Dogrolles OMELS From - Sink-Inmedia down Raske For	the dely	dispersion was	enser a	Salad Cooler Front counter	0F-	
Comments: hardw) Ripair	Der let ash torr	walk-in Cooles Hot Dogrolles ourels from - Sink-Inmedia dow gasket or	the dely	dispersion was	enser a	Salad Cooler Front counter les display doc	01-	
Comments: hardw) Ripair	Der let ash torr	Walk-in Cooles Hot Dogrolles OMELS From - Sink-Inmedia down Raske For	the dely	dispersion was	enser a	Salad Cooler Front counter les display doc	0F-	
Comments: hardw) Ripair	Der let ash torr	walk-in Cooles Hot Dogrolles ourels from - Sink-Inmedia dow gasket or	the dely	dispersion was	enser a	Salad Cooler Front counter les display doc	01-	
Comments: hardw) Ripair	Der let ash torr	walk-in Cooles Hot Dogrolles ourels from - Sink-Inmedia dow gasket or	the dely	dispersion was	enser a	Salad Cooler Front counter les display doc	0F-	