

OFFICIAL INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

257 North Villa Avenue, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 3

Name of Facility/ DBA: <u>BLACK BEAR DINER</u>	Inspection Date: <u>12/16/14</u>
Address: <u>PAGE 2</u>	
Owner/Permitee: <u>PAGE 2</u>	

Comments:

** CRITICAL VIOLATIONS (CONT.) **

7 ABUSES:

- 1) POBBLE EGGS @ 43°F ⇒ OPERATOR ADJUSTED TEMP OF APPLIANCE.
 - 2) PASTRAMI @ 43°F ⇒ COLD DRAWER FOODS (PHF'S) RELOCATED
 - 3) POTATO SALAD @ 49°F ⇒ " " " " "
 - 4) HONEY DEW @ 46°F ⇒ OPERATOR ATTEMPTED TO ADJUST TEMP OF APPLIANCE
 - 5) MILK (OPEN) @ 45°F ⇒ RELOCATED TO <41°F WALK-IN (21bs POTATOES)
 - 6) POTATOES @ 108°F ⇒ ALL POTATOES (COLD) & GRAVY DISPOSED OF BY OPERATOR (2 GALLON GRAVY)
- * ALL P.H.F.'S IN RIGHT DRAWERS WAS RELOCATED TO A WALK-IN.

THIS SIDE DRAWERS & CABINETS ARE NOT TO BE USED UNTIL REPAIRED TO HOLD <41°F

* PRODUCE WALK-IN CANNOT BE USED TO STORE PHF'S UNTIL IT CAN HOLD A TEMP <41°F

6 HANDWASH SINK SHALL BE PROPERLY SUPPLIED, HAVE A SPLASH GUARD AND SHALL NOT BE USED FOR ANY OTHER PURPOSE THAN WASHING HANDS. OBSERVED SANITIZER BUCKET BEING FILLED HERE.

27 ALL RAW POTENTIALLY HAZARDOUS FOOD SHALL BE STORED AWAY FROM READY TO EAT FOODS. OBSERVED BACON ABOVE PRODUCE IN WALK-IN.

35 CLEAN & SANITIZE THE WAFFLE IRONS.

35 REPLACE NON-COMMERCIAL APPLIANCES W/ COMMERCIAL GRADE, N.S.F. APPROVED, HEALTH DEPT. APPROVED APPLIANCES. (WHITE KENMORE FREEZER, BLACK EMERSON MICROWAVE)

35 CLEAN/SANITIZE/DE-FROST WHITE KENMORE FREEZER IT IS EXTREMELY ICY AND FILTHY.

35 CLEAN/DEGREASE HOOD BAFFLES ABOVE THE FAR BACK CONVECTION OVEN.

Received By:

[Signature]

REHS:

ANDREW PETHO

OFFICIAL INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

257 North Villa Avenue, Willows, CA 95988

Phone (530) 934-6102 FAX (530) 934-6103

Page 3 of 3

Name of Facility/ DBA: <u>BLACK BEAR DINER</u>	Inspection Date: <u>12/16/14</u>
Address: <u>PAGE 3</u>	
Owner/Permitee: <u>PAGE 3</u>	

Comments:

VIOLATIONS (CONT.):

- 38 REPAIR LIGHTING IN THE FOOD STORAGE PANTRY.
- 41 ELEVATE INDIRECT PLUMBING, UNDER THE DISHWASHER SO THAT PIPES TERMINATE ABOVE THE FLOOD RIM OF THE FLOOR DRAIN.
- 44 ALL PERSONAL ITEMS SUCH AS CELL PHONES, PURSES, WALLETS, ETC. SHALL NOT BE STORED IN FOOD PREP AREAS. STORE IN A DESIGNATED AREA.
- 45 REPAIR COVING COMING OFF OF THE WALL AT THE SERVER STATION.

Received By:

[Signature]

REHS:

ANDREW A. P. #2140